

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**DANGER**

**THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED WITH CARE ONLY BY THOSE INDIVIDUALS EXPERIENCED WITH ITS PROPER USE. CONSULT YOUR DEALER REPRESENTATIVE FOR CORRECT PROCEDURE BEFORE USING. READ AND FOLLOW ALL LABEL DIRECTIONS.**

**HEALTH HAZARD**

Highly toxic liquid and vapor. Noxious odor acts as its own warning agent against overexposure. Exposure to hazardous levels of chloropicrin cannot be voluntarily tolerated. Do not get on skin, in eyes, or on clothing. Harmful or fatal if swallowed. **SYMPTOMS OF OVEREXPOSURE:** Exposure to vapor causes tearing, and eye, nose, and throat irritation. Excessive overexposure may result in coughing, nausea, vomiting, breathing difficulties, or death. Liquid can cause severe burns to eyes and skin. Toxic if ingested. **HEALTH EFFECTS FROM OVEREXPOSURE:** Over exposure can be fatal. Irritation of respiratory tract causes congestion, hemorrhaging, severe bronchitis, and edema.

**PERSONAL PROTECTIVE EQUIPMENT**

**SKIN EXPOSURE:** When handling liquid, use protective gloves. Do not spill. If liquid splashes or spills on shoes or clothing, remove them at once as fumes from the contaminated area will be an intolerable source of irritation. If the liquid contacts skin where rings or bandages are worn, remove them and wash the exposed skin with soap and water. Air expose shoes or clothing outside and do not wear until free of all traces of contamination.

**EYE EXPOSURE:** Wear full-face shield or safety glasses with brow and temple shields or goggles.  
**RESPIRATORY EXPOSURE:** TLV: 0.1 ppm (ACGIH). OSHA and California respiratory protection not required when used according to label directions. In case of an accident or spill, wear a self-contained breathing apparatus (SCBA).

**CHEMICAL HAZARD**

Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions the material may be severely corrosive to such metals.

**CHLOROPICRIN CLEARING/WARNING AGENT**

FOR USE BY PEST CONTROL OPERATORS ONLY PRIOR TO INTRODUCTION OF ODORLESS FUMIGANTS

ACTIVE INGREDIENT: Chloropicrin	99%
OTHER INGREDIENTS:	1%
TOTAL:	100%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**



**PELIGRO**

**POISON**

*PELIGRO: Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)*

**IN ALL CASES OF OVEREXPOSURE,  
GET MEDICAL ATTENTION IMMEDIATELY.  
TAKE PERSON TO A DOCTOR OR TO  
AN EMERGENCY TREATMENT FACILITY.**

**FIRST AID**

**IF INHALED:** Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration, preferably mouth-to-mouth. Do not give anything by mouth to an unconscious person.

**IF ON SKIN:** Immediately remove contaminated clothing, shoes, and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.

**IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

**NOTE TO PHYSICIAN**

Chloropicrin is a volatile liquid that is the active ingredient in tear gas. As a gas it is a powerful lachrymator. Early symptoms of overexposure are lachrymation, respiratory distress, and vomiting. Pulmonary edema may develop later. Treatment is symptomatic.

*See side panels for additional precautionary statements.*



**CARDINAL PROFESSIONAL PRODUCTS**  
**P. O. BOX 782 • HOLLISTER • CA 95024**

Net Contents: 10 lbs.

**DIRECTIONS FOR USE**

Use this product in accordance with the directions for use on federally registered labels that require that chloropicrin be used as a warning agent.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry, well-ventilated area under lock and key. Do not contaminate water, food, or feed by storage or disposal.

**RETURN OF CYLINDERS:** Cylinders are the property of Cardinal Professional Products, 2060 E. 220th Street, Long Beach, CA 90810, and should be returned promptly by collect auto freight. (1) When a cylinder is empty, return to the shipper. (2) When a cylinder is partially full and there is no further requirement for the product, contact the company for return instructions. (3) Do not ship cylinders without safety caps. (4) Containers should never be refilled by the consumer or used for any other product or purpose.

**SHIPPING:** This material is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin, 6.1, UN 1580, PG I, Poison-Inhalation Hazard, Hazard Zone B, and no exemptions from specifications, packaging, marking, or labeling are allowed, except as specified under DOT-E 12007, dated December 28, 1999 (a copy of this DOT exemption is available from your SCC representative). Describe empty cylinders as having last contained Chloropicrin (Inhalation Hazard). Do not ship with foods, feeds, or clothing.

**SPILL AND LEAK PROCEDURES:** Evacuate everyone from the immediate area of the spill or leak. Use air-supplied respirator or self-contained breathing apparatus (SCBA) for entry into affected area to correct problem. Move leaking or damaged containers outdoors or to an isolated location, observing strict safety precautions. Work upwind, if possible. Allow spilled fumigant to evaporate or to absorb onto vermiculite, dry sand, earth, or similar absorbent material, which may be disposed of on site or at an approved disposal facility. Do not permit entry into the spill or leak area or cleanup by unprotected persons until the concentration of chloropicrin is determined to be less than 0.1 ppm, as measured with a device such as a Matheson-Kitagawa gas detector tube.

**WARRANTY**

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

This product weighs 13.7 lbs./gal.

September 12, 2002